Complete Listing of the Claims:

This listing of claims will replace all prior versions, and listings of claims in the

application. No amendments to the claims are submitted herein.

Listing of Claims:

1-3 (Canceled)

4 (Previously Presented) In a computer network, a method comprising,

receiving a request from a device having a service running thereon using a SOAP protocol to retrieve contacts data from a data store, the request including associated

identity information;

reading from the data store to obtain contacts data in response to the request, wherein access to the data store is based on the associated identity information;

constructing a contacts document including at least part of the requested contacts data and including a defined identity-based schema for contacts data, the

defined schema operable to be interpreted by the service running on the device; and

returning the contacts document to the device in response to the request.

5. (Original) The method of claim 4 wherein the schema includes at least one

defined field for extending the schema.

6. (Previously Presented) The method of claim 5 wherein the at least one defined

2 of 23

field comprises data corresponding to a contacts display name.

Reply

Application Number: 10/021,316

7. (Previously Presented) The method of claim 5 wherein the at least one defined

field comprises data corresponding to a contacts protocol.

8 (Previously Presented) The method of claim 5 wherein the at least one defined

field comprises data corresponding to a phone number.

9. (Previously Presented) The method of claim 5 wherein the at least one defined

field comprises data corresponding to an email address.

10 (Previously Presented) The method of claim 5 wherein the at least one defined

field comprises data corresponding to a mailing address.

11. (Previously Presented). The method of claim 5 wherein the at least one defined

field comprises data corresponding to a title.

12. (Previously Presented) The method of claim 5 wherein the at least one defined

field comprises data corresponding to a second phone number.

(Previously Presented). The method of claim 5 wherein the at least one defined 13.

field comprises data corresponding to second email address.

(Previously Presented) A computer-readable medium having computer-

executable instructions for:

receiving a request from a device having a service running thereon using a SOAP

protocol to retrieve contacts data from a data store, the request including associated

3 of 23

identity information:

Reply

Application Number: 10/021,316

reading from a the data store to obtain contacts data in response to the request.

wherein access to the data store is based on the associated identity information;

constructing a contacts document including at least part of the requested

contacts data and including a defined identity-based schema for contacts data, the

defined schema operable to be interpreted by the service running on the device; and

returning the contacts document to the device in response to the request.

15. (Previously Presented) The computer-readable medium of claim 14 wherein the

schema comprises at least one defined field for extending the schema.

16. (Previously Presented) In a computer network, a method comprising:

accessing a network using a device, the accessing including providing associated

identity information corresponding to the device;

requesting contacts data stored in a data store from a service accessible via the network using a SOAP protocol, the request including the associated identity

information:

determining if the request is an allowable request based on the associated

identity information: and

if the request is allowable, returning a contacts document to the device, the

contacts document including at least part of the requested contacts data and including

an identity-based schema associated with the service.

17. (Previously Presented) The method of claim 16 wherein the document comprises

4 of 23

a contacts document.

Application Number: 10/021,316

(Previously Presented) The method of claim 16 wherein the service comprises a 18.

contacts service.

(Previously Presented) The method of claim 16 wherein the schema comprises a

contacts schema.

20. (Previously Presented) The method of claim 16, further comprising manipulating

the contacts data requested if the request is determined to be an allowable request.

21. (Previously Presented) The method of claim 20 wherein the manipulating

comprises a query manipulation.

22. (Previously Presented) The method of claim 20 wherein the manipulating

comprises an insert manipulation.

23. (Previously Presented) The method of claim 20 wherein the manipulating

comprises a delete manipulation.

24. (Previously Presented) The method of claim 20 wherein the manipulating

comprises an update manipulation.

25. (Previously Presented) The method of claim 20 wherein the manipulating

comprises a replace manipulation.

26. (Previously Presented) The method of claim 20 wherein the manipulating

5 of 23

comprises a send message manipulation.

Reniv

Application Number: 10/021.316

27. (Previously Presented) The method of claim 20 wherein the manipulating

comprises a save message manipulation.

28. (Previously Presented) The method of claim 20 wherein the manipulating

comprises a copy message manipulation.

29. (Previously Presented) A computer-readable medium having computer-

executable instructions for:

accessing a network using a device, the accessing including providing associated

identity information corresponding to the device:

requesting contacts data stored in a data store from a service accessible via the

network using a SOAP protocol, the request including the associated identity

information:

determining if the request is an allowable request based on the associated

identity information; and

if the request is allowable, returning a contacts document to the device, the

contacts document including at least part of the requested contacts data and including

an identity-based schema associated with the service.

30. (Previously Presented) The computer-readable medium of claim 29 having

further computer-executable instructions for sending the constructed contacts

document to a source of the request.

Application Number: 10/021,316

31 (Previously Presented) The computer-readable medium of claim 29 having

further computer-executable instructions for determining if the request is an allowable

request based on the associated identity information.

32. (Previously Presented) The computer-readable medium of claim 29 having

further computer-executable instructions for manipulating data stored in a data store

based on the request for data.

33. (Previously Presented) The computer-readable medium of claim 29 having

further computer-executable instructions for denying the request for data based on the

associated identity information.

34. (Previously Presented) The computer-readable medium of claim 29 having

further computer-executable instructions for constructing the document in an

extensible markup language.

35. (Previously Presented) In a computer network, a method comprising,

receiving a request using a SOAP protocol from a device having a service running

thereon to manipulate contacts data in a logical contacts document that is stored in a data store, the request including associated identity information and in the form of a

first content document having a defined identity-based schema for contacts data;

scope determined according to the contacts schema having contacts-related fields

arranged into a second access-control content document with defined structures for the

7 of 23

determining a scope of access rights based on the identity information, the

fields:

determining if the request in within the scope; and

Application Number: 10/021,316

if the request is within the scope, manipulating at least one set of data in the

logical contacts document, each set of data in the logical contacts document structured

to correspond to a field in the first content document.

36. (Previously Presented) The method of claim 35 wherein manipulating at least

one set of data comprises reading data from at least one field in the logical contacts

document.

37. (Previously Presented) The method of claim 35 wherein manipulating at least

one set of data comprises writing data to at least one field in the logical contacts

document.

Renly

Application Number: 10/021,316